

The daily evidence digest collates recently released reports and evidence – provision of these links does not imply endorsement nor recommendation.

Genome, telemedicine, ethics, dexamethasone trial

Peer reviewed journals featured:

- Genome-wide association study of severe COVID-19 with respiratory failure [here](#)
- Management of used PPE and COVID-19 waste in South Korea [here](#)
- A framework for managing anticoagulation-related gastrointestinal bleeding during COVID-19 [here](#)
- A modelling study on border control and quarantine measures [here](#)
- Design and development of COVID-19 risk assessment decision support system for GPs [here](#)
- International comparison of guidelines for managing neonates during COVID-19 [here](#)
- A retrospective study on a triage and telemedicine protocol to optimise infection control in an emergency department in Taiwan [here](#)
- Telemedicine enabled accelerated discharge of hospitalised COVID-19 patients to isolation in repurposed hotel rooms [here](#)
- Ethical analysis of: triaging critical care resources in COVID-19 [here](#) and media focus on healthcare workers as heroes during COVID-19 [here](#)
- A comment article on delivering evidence-based critical care for mechanically ventilated patients with COVID-19 [here](#)
- Diabetic foot disease management during COVID-19 [here](#)
- Changes in indications for radiotherapy during COVID-19 [here](#)
- Use of telemedicine and virtual care for remote treatment [here](#)
- A scoping review on diagnosing COVID-19 in the emergency department [here](#)

Letters and correspondence discussed:

- A negative pressure individual isolation system for CT scans of suspected COVID-19 patients [here](#)
- Infection control in the medical imaging department [here](#)
- A retrospective study on incidence of acute ischaemic stroke and rate of mechanical thrombectomy in a US tertiary care telemedicine network [here](#)
- Prone positioning in awake, non-intubated patients with hypoxemic respiratory failure [here](#)

Pre-peer review papers feature:

- A systematic review and a meta-analysis of prevalence of chemosensory dysfunction [here](#)
- Cross-sectional survey on potential barriers and facilitators among high risk individuals for uptake of a COVID-19 vaccine [here](#)
- Observational cohort study on prevalence of delirium as a COVID-19 symptom in older adults [here](#)
- Longitudinal study on the National Early Warning Scores (NEWS /NEWS2) and COVID-19 deaths in UK care homes [here](#)
- External validation of the COVID-19 Vulnerability (C-19) Index using an international network of observational healthcare datasets [here](#)

Guidance and evidence checks

- The World Health Organisation (WHO)
 - published a scientific brief on releasing COVID-19 patients from isolation [here](#)
 - noted preliminary results on dexamethasone use in critically ill COVID-19 patients [here](#)
 - announced discontinuation of the hydroxychloroquine arm of the Solidarity Trial [here](#)
- The Australian Health Protection Principal Committee also noted the dexamethasone trial [here](#)
- The Organisation for Economic Co-operation and Development (OECD) published a broad-ranging report on the impact of COVID-19 on young people [here](#)
- The Newfoundland and Labrador Centre for Applied Health Research released a report on strategies to reduce the impact of a second wave of COVID-19 in long term care facilities [here](#)

Twitter update**Second waves, mental health and patient-provider communications**

From @MJA_editor, cases increasing in China [here](#), @AFP also reporting on the new cluster and response in China [here](#), @minhealthnz New Zealand ends COVID-19 free streak [here](#), and from the Guardian [here](#). @EricTopol on the explainer of accuracy of false positive antibody tests to COVID-19 [here](#) with and fast and strong responses save lives [here](#). @BMJ_latest on decision making during COVID-19 [here](#).

@Ian_Hickie, @LRussellWolpe tweeting about the mental health surge from local news sources [here](#), [here](#) and blog from @BMJ_latest on preparing for post-intensive care for COVID-19 patients through trauma-informed care framework [here](#) and indirect impact of COVID-19 and the de-conditioning pandemic [here](#). @Harwardhealth featuring a blog on global mental health in the time of COVID-19 [here](#)

@BMJ_latest blog on how #COVID19 might change the patient-provider relationships [here](#) and from @Jpex communication for equity during COVID-19 [here](#).