

### **KEY PRINCIPLES**



Collaboration. Innovation. Better Healthcare.

The Agency for Clinical Innovation (ACI) works with clinicians, consumers and managers to design and promote better healthcare for NSW. It does this by:

- service redesign and evaluation applying redesign methodology to assist healthcare providers and consumers to review and improve the quality, effectiveness and efficiency of services
- specialist advice on healthcare innovation advising on the development, evaluation and adoption of healthcare innovations from optimal use through to disinvestment
- *initiatives including guidelines and models of care* developing a range of evidence-based healthcare improvement initiatives to benefit the NSW health system
- *implementation support* working with ACI Networks, consumers and healthcare providers to assist delivery of healthcare innovations into practice across metropolitan and rural NSW
- knowledge sharing partnering with healthcare providers to support collaboration, learning capability and knowledge sharing on healthcare innovation and improvement
- continuous capability building working with healthcare providers to build capability in redesign, project management and change management through the Centre for Healthcare Redesign.

ACI Clinical Networks, Taskforces and Institutes provide a unique forum for people to collaborate across clinical specialties and regional and service boundaries to develop successful healthcare innovations.

A priority for the ACI is identifying unwarranted variation in clinical practice and working in partnership with healthcare providers to develop mechanisms to improve clinical practice and patient care.

www.aci.health.nsw.gov.au

AGENCY FOR CLINICAL INNOVATION
Level 4, Sage Building
67 Albert Avenue
Chatswood NSW 2067
PO Box 699 Chatswood NSW 2057
T +61 2 9464 4666 | F +61 2 9464 4728
E info@aci.nsw.gov.au | www.aci.health.nsw.gov.au
SHPN (ACI) XXXXX, ISBN XXX-X-XXXXX-XXX-X.

**Produced by:** NSW MPS Reference Group Project team with Hannah Halloran, healthy partnerships Further copies of this publication can be obtained from <a href="http://www.aci.health.nsw.gov.au/t/go?q=292440">http://www.aci.health.nsw.gov.au/t/go?q=292440</a> and the Agency for Clinical Innovation website at <a href="https://www.aci.health.nsw.gov.au">www.aci.health.nsw.gov.au</a>

**Disclaimer:** Content within this publication was accurate at the time of publication. This work is copyright. It may be reproduced in whole or part for study or training purposes subject to the inclusion of an acknowledgment of the source.

i

It may not be reproduced for commercial usage or sale. Reproduction for purposes other than those indicated above, requires written permission from the Agency for Clinical Innovation.

Version: Final Draft Trim: ACI/D16/4052

Date Amended: 15/09/2016

Review Date: 2024

© State of New South Wales (Agency for Clinical Innovation)

#### **Acknowledgements**

#### NSW MPS Reference Group Project team

Co-Chair - Network Manager, Aged Care and Rehabilitation Clinical Network, HNE LHD
Co-Chair – Change Management Consultant, Health Infrastructure
Senior Nurse Manager - Bombala and Delegate, SNSW LHD
EO/DoN - Kyogle, Nimbin, Urbenville, Bonalbo, NNSW LHD
Rural Group Manager - Riverina, Murrumbidgee LHD
Rural Group Manager - Border Group, Corowa, Murrumbidgee LHD
HSM - Coonamble, WNSW LHD
HSM - Nyngan WNSW LHD
HSM - Balranald, FWNSW LHD
Nurse Manager - Dorrigo MPS, MNC LHD
Snr Physiotherapist, Gilgandra, WNSW LHD
Executive Care Manager - Nambucca Valley Care
Snr Rural Policy and Planning Officer - Ministry of Health
Consumer - Co-Chair Rural Health Network, ACI
Implementation Officer, ACI
Implementation Manager, ACI

#### Invitees:

Lorna Dicks: Redesign Leader - WNSW LHD

Lorraine Lovitt: NSW Falls Prevention Co-Ordinator – Clinical Excellence Commission (CEC)

#### **Other Key Informants**

ACI Rural Health Network Executive Committee

ACI Aged Health Network Executive Committee

ACI Nutrition Network Executive Committee

ACI Health Economics and Evaluation Team (HEET), Patient Experience and Consumer Engagement Team (PEACE), Patient Reported Outcomes and Patient Reported Experiences

Team (PROMS / PREMS), Centre for Health Care Redesign (CHR)

Australian Commission on Safety and Quality in Health Care (ACSQHC)

Rural Local Health Districts (LHDs)


MPS Executive Steering Committee, Health Infrastructure – Rural LHD Chief Executives Australian Government Department of Health

HealthShare NSW

### **Multipurpose Services in NSW**

Multipurpose Services (MPS) are unique health care facilities that provide a combination of health services including acute care, sub-acute care (including respite and palliative care), emergency, allied health, primary health and residential aged care to meet the needs of the local community. There are currently 60 MPS in operation across rural NSW with more MPS in the planning stage.

MPS approved providers are expected to deliver a level of quality residential and home care services in a way that is consistent with the relevant Charter of care recipients' rights and responsibilities. In addition, MPS approved providers are required to meet the National Safety and Quality Health Service Standards prescribed by the Australian Commission on Safety and Quality in Healthcare. The map below illustrates the locations of the MPS in NSW.



While there is not requirement for MPS to meet Aged Care accreditation, the Commonwealth seeks an assurance that MPS provide a level of care consistent with the spirit and intent of the aged care standards where appropriate<sup>1</sup>. MPS are not required to meet Aged Care Standards<sup>2</sup> as is the case with Commonwealth funded Residential Aged Care facilities. The Australian Commission on Safety and Quality in Healthcare (ACSQHC) was funded by the NSW Ministry of Health to undertake a consultation in 2014, and identified the gaps between the NSQHS and the Aged Care Standards in the following areas:

- Homelike Environment
- Role of the person on their own care (resident-centred)
- Cognitive impairment
- Hydration and nutrition
- Leisure activities and lifestyle.

A NSW MPS Reference Group was formed in 2015 to improve the quality of life for residents living in MPS. The ACSQHC consultancy findings were used by the Reference Group as a baseline to develop the MPS Principles of Care.

The ACSQHC is currently developing a revised edition of the NSQHS<sup>3</sup>, to address these gaps. An additional project is exploring options to implement NSQHS (V2) across all areas of MPS, including residential aged care.

### **Contents**

Acknowledgements	ii
Multipurpose Services in NSW	iii
Contents	iv
Principles of Care for people living well in MPS	5
Overview	6
Respect for rights as an individual	7
Informed and involved	9
Comprehensive assessment and care planning	12
Homelike environment	14
Recreational and leisure activities	16
Positive dining experience	18
Multidisciplinary services	20
Expertise in aged care	22
References	25

#### **Principles of Care for people living well in MPS**

#### The Living Well in MPS Collaborative

The *Living Well in MPS* Collaborative<sup>[1]</sup> has been designed to support staff to provide care for residents of Multipurpose Services (MPS); not as patients in hospital, but as people living in their home.

Establishing this Collaborative involved a thorough review of the evidence in relation to personcentred practice and wide-ranging consultation with 10 MPS and 2 RACFs across regional and rural NSW.

The *Living Well in MPS* Toolkit has been developed in alignment with the Commonwealth Department of Health Aged Care Standard 2 (Health and Personal Care) and Standard 3 (Care Recipient Lifestyle) in order to enhance lifestyle, independence and wellbeing for people who call MPS home. The Toolkit comprises:

- Principles of Care document, identifying eight key principles designed to improve the quality of life and wellbeing of residents living in MPS residential aged care facilities
- **Self-Assessment Checklist**, designed to help MPS identify their current strengths and weaknesses in relation to the eight key principles and prioritise areas they wish to improve
- Resource Guide of evidence-based resources and strategies which MPS can implement to foster improvements in relation to the eight key principles
- **Evaluation Package** which will be implemented by participating MPS in order to determine how well the *Living Well in MPS* Collaborative achieves its overall aims.

The *Living Well in MPS* toolkit provides practical strategies which will assist MPS in meeting accreditation requirements. MPS facilities which implement the *Living Well in MPS* Principles of Care through a range of actions will be creating evidence which demonstrates compliance with ACSQHC accreditation.

<sup>[1]</sup> For further information about the *Living Well in MPS* project, please visit: http://www.aci.health.nsw.gov.au/resources/rural-health/multipurpose-service-model-of-care-project/mps-model-of-care-project-2015

#### **Overview**

#### **MPS Principles of Care and Services**





### Respect for rights as an individual

The resident is respected as an individual with an emphasis on rights, quality of life and wellbeing, as defined by the individual and carer/family. This includes privacy, control over life, dignity and lifestyle interests.

Residents receive person-centred care, meeting individual physical, psychological, cultural, spiritual, emotional and social needs, and acknowledging the resident's personal history and preferences. Respect for the individual is demonstrated through focussing on what each resident *can* do, maximising independence and mobility, empowering staff to build relationships and familiarity, and responding to each resident's needs and desires.

Person-centred and respectful care is a right of older people, described in the User Rights Principles 2014 accompanying the Aged Care Act (1997)<sup>4</sup>.



**Person-centred care** is an evidence-based approach to care that uses the recipient's unique personal preferences and needs to guide health care planning. Interventional studies based on person-centred care demonstrate better functional and behavioural outcomes for residents and greater satisfaction with care by residents, carers/families and care giving staff. There is direct correlation between person-centredness and residents' quality of life, pain, depression and ability to perform daily activities.<sup>5, 6</sup>

A person-centred approach to care includes activities that match resident interests, personal histories, and abilities. Interventions tailored to individual residents have been found to be most effective, particularly for residents with dementia; increasing engagement in meaningful activity, improving mood, and reducing agitation, depression and disruptive behaviours.

Ageing well requires autonomy, being able to express oneself, and maintaining control over decision making. Research in the area of ageing has found that older adults make choices and decisions based on their perception of wellness, risk and potential impact on quality of life<sup>7</sup>. Person-centred care is characterised by services' enabling and supporting older people to make choices and **actively participate in decision making**. The resident is supported to exercise choice, decision making and control, with staff prepared for a certain level of risk to allow residents greater freedom.

Person-centred care requires a **shift away from the traditional medical model** of care to provide broad/holistic health and social care. Care is focussed on individualised, supporting relationships, and is less task-focussed. This approach, paired with training staff in person-centred care approaches, enables residents to build relationships, increase socialisation, and participate in mixed group activities<sup>8</sup>.

Person-centred care creates a **homelike environment** for residents, where residents are seen as a whole person, and not just a passive care recipient. Consistent rostering allows residents and staff to get to know each other, which builds trust and compliance, and nurtures confidence and a sense of belonging for residents in care.

## Applying the principle in practice

This principle requires MPS to identify, respect and respond to individual physical, psychological, cultural, spiritual, emotional and social needs.

Comprehensive initial assessment and social profile identifies resident interests, histories, preferences and abilities ("who I am") and enables staff to offer relevant and appropriate opportunities for residents to engage in life in the MPS.

**Regular resident meetings** provide opportunity for residents and carers/families to be involved in decision making and planning (eg. recreational activities), to have opinions, share ideas and choices, and raise issues or concerns.

**Regular case conferences** with a multidisciplinary team, or meetings with carers/families every 6 months have proven to be extremely beneficial in maintaining open communication between the facility and resident, and early identification of issues or concerns which can be addressed before they become problematic.

**Respecting resident choice** with regards to routines, choice of activity and meals encourages residents' independence and autonomy and works to de-institutionalise staff approaches to care.

**Cultural and spiritual care awareness and sensitivities** acknowledge that aged care recipients come from a variety of social and cultural backgrounds. Aboriginal Health Worker roles form an important link in maintaining cultural competence in many MPS facilities. Designating a quiet room or place to reflect and worship, and celebrating cultural days will assist in creating cultural sensitivity.

# Informed and involved

The resident and family / carer receive timely and appropriate information at entry to care and at regular intervals to maintain choice and control over all aspects of the resident's life.

Residents and carers/family members have the right to actively participate in decision making about the services and care they receive. Information management is a continuous two-way process between the MPS facility and the resident, carer or family to optimise informed decision making.

Across NSW there is considerable variation to pre-admission preparation and Advance Care Planning for residents coming into care in MPS. Development of a standardised documentation set across NSW will support MPS to better communicate and collaborate with the resident and family and enable a higher level of input into decisions, personal choices and service availability options.

### 💝 What works

The Australian Safety and Quality Framework for Health Care<sup>9</sup> promotes increasing health literacy and partnering with patients, carers and families to make shared decisions. Better informed patients and shared decision making provides a realistic appreciation of risks and benefits, resulting in better quality decisions, adherence to treatment plans and improved sense of empowerment and experience<sup>10</sup>.

Older people often have multiple chronic conditions which require access to health services more frequently. Older people are also at high risk of low health literacy, with approximately 80 per cent of older Australians having difficulty reading and understanding health information<sup>11</sup>. Low health literacy is associated with higher hospital presentations and is a strong predictor for mortality<sup>12</sup>.

## Applying the principle in practice

Initially, MPS should focus improvement efforts across two key points in time: prior to entry and at entry to care. Two information packages will provide consistent and relevant information to prospective or admitting residents and their families/carers. These packages may be made available online to increase accessibility.

A standardised pre-admission Resident and Family Handbook aims to demystify the transition to residential aged care and provide all necessary information for the prospective resident and carer/family to make an informed decision about their care. The box below provides MPS with a checklist of topic areas to be included in a preadmission package.

#### **Resident and Family Handbook**

- Requirements for admission: Centrelink information, resident's fees, help available
- Residential Care Service Agreement: rights, responsibilities, legal requirements
- Residents and Family Handbook: Mission, Vision, Values
- General information: meals, laundry, services available, activities, smoking, alcohol, medical services, pharmacy and fees, mail, safety and security, spiritual care
- Equipment and furniture: care for and labelling of belongings, what can the resident bring, storage of motorized wheelchairs / scooters
- Resident Profile: social history and work history, personal profile/history (who is the resident), occupation, children, grandchildren, abilities / interests, pets, sports/games, lifetime achievements, special events, cultural practices
- Managing your affairs: Advance Care Directive (ACD) / Enduring Power of Attorney / Enduring Guardianship
- Admission Form and Medication History
- Local brochure: local area information, map of locality, attractions, information for families, accommodation, restaurants, shopping centres and clubs
- Respite care and palliative care
- My Aged Care Assessment is recommended by NSW Health; How to contact My Aged Care
- Waiting lists
- Pre-admission tours.

A Welcome Pack on admission to residential aged care aims to introduce and orient the resident and carer/family to the facility and clarify expectations. The box below provides MPS with a checklist of topic areas to be included in an admission welcome package.

#### **Welcome Pack**

- Welcome letter / pamphlet
- Introduction to Facility: vision, mission and values
  - Introduction and identification staff: uniforms
  - Resident services: what is provided, room allocation, personal belongings, daily routine internet access, room cleaning, nursing care, kitchenette, newspapers
  - Available services: medical care, nursing services, pharmacy and medication management, rehabilitation services and allied health, hairdressing, visiting services e.g. Pets as Therapy, dental services
- New Resident Pharmacy Notification Form
- Personal possessions: valuables, loss, electrical items must be certified
- Daily living activities and independence: personal hygiene, continence, communication, emotional support and therapies, recreational and leisure activities, podiatry, physiotherapy
- Financial Consent (resident activities, hairdresser, continence aids, podiatry)
- Enduring Guardianship and Power of Attorney, Advance Care Directives
- Community Involvement and interaction with MPS: church, schools, volunteers
- Case Conferencing schedule /resident, carer / family meetings
- Privacy and Confidentiality statement
- · Residents' meeting schedule
- Meal routine, laundry routine (label clothing)
- Role of carers, families and friends
- Pets
- Alcohol and smoking
- Diverse backgrounds: cultural and spiritual life
- Charter of Residents' Rights and Responsibilities
- Resident leave
- · Safety and Security: infection control, food safety, manual handling
- Ageing in place (for episodes of sub-acute care)
- Social: maintaining community involvement e.g., Probus, Rotary, CWA, Bridge Club
- Motorized scooters, wheelchairs
- Volunteers
- Complaints, compliments and expectations
- Resident Agreement
- Helpful telephone numbers (MyAgedCare, The Seniors Rights Service, Aged Care Complaints Commissioner)



### Comprehensive assessment and care planning

## The resident participates in comprehensive assessment and care planning that is reviewed regularly.

Assessment and care planning processes with the resident's engagement can focus on activities, schedules, and healthcare consistent with her / his interests and enable the resident to make choices about aspects of her / his life in the facility.

Coordinated and comprehensive care planning improves the quality of life of patients with chronic disease or conditions, reduces depression and is beneficial to the broader health system<sup>13</sup>. Currently there is no consistent standardised documentation set used for Residential Aged Care assessment or care planning across MPS in NSW. MPS are using LHD care plans which are designed for acute care planning and not appropriate for Residential Aged Care planning. Consequently, the process and approach to assessment and care planning for residents across NSW varies and would benefit from further work.

Older people living in MPS often have complex medical and care needs. There is a need to obtain comprehensive clinical information from other practitioners (eg. in General Practice) on admission, and ensure communication processes are in place to start and develop an ongoing relationship for care planning. Residents and carers/families must be central to the ongoing assessment and care planning processes.



Assessment and care planning practices are a means of identifying unique, individual needs and preferences and ensuring these are addressed through a targeted plan of action. Assessment and care planning for residents of MPS require collaborative and interdisciplinary processes, utilising the skills and knowledge of the resident, carer/family and involved professionals. NSW Department of Health have defined eleven broad areas which need to be considered to form the basis of comprehensive assessment and develop appropriate care plans for older people: patient demographics, presenting problems, medical summary, current medication, smoking, alcohol and other drug use, current level of Activities of Daily Living (ADL), continence status, mental and psychological state including cognitive function, sensory summary including vision, hearing, communication issues, social/cultural functioning, carer status, nutritional status and falls risk screening<sup>14</sup>.

Dementia screening, assessment and care planning is core business for MPS. About 53% of all permanent residents in Australian Government subsidised aged care facilities in 2009–10 had a diagnosis of dementia with an average length of stay 3 to 5 years. This figure is predicted to rise to 75% within 10 years<sup>15</sup>. A survey of ten MPS across NSW in 2015 indicated that 25% of residents had a dementia. Screening, assessment and care planning should include the resident, carer/family and those responsible for caring and supporting the resident. Where appropriate, care

planning should include individualised strategies to manage people with Behavioural and Psychological Symptoms of Dementia (BPSD), who are at an increased risk of falls.

Evidence now shows that older people's health and function is not linear<sup>16</sup>. Older people can regain function after periods of illness, hospitalisation or disability through comprehensive assessment and care planning. Plans which identify a person's residual functional capabilities, limitations, and possibility for improvement can support options that enable the aged person to live as independently as possible and be supported to live with dignity.



# Applying the principle in practice

The following dimensions of care are assessable in the Aged Care Standards 1997<sup>17</sup>, and are key care domains of a comprehensive aged care assessment. These dimensions can be used as a check list to develop a consistent template for assessment and care planning relevant to residential aged care sections of MPS.

The aim of assessment and care planning across the domains below are to identify any areas requiring support or management, and to put in place an appropriate care planning which maximises the resident's function, dignity, independence and safety.

Comprehensive assessment and care planning: The Living Care Plan					
Medication management	Medication is managed and reviewed safely and correctly				
Communication and cognition	Each Resident (or Representative) is enabled choice and control				
Sensory loss	Including sensory aids (eg. glasses, hearing aids, dentures)				
Safety	Including mobility/vision/ falls risk assessment and transfers				
Nutrition and hydration	Residents receive adequate nourishment and hydration				
Personal hygiene and oral health	Hygiene and dental care are maintained				
Continence management and	Continence is managed effectively eg regular toileting				
Pain management	All residents are as free from pain as possible				
Skin integrity	Management consistent with general health				
Sleep and resting	Residents achieve natural sleeping patterns				
Sexuality	Individual preferences are recognised and respected				
Depression and behaviours	Causes which prompt challenging behaviours are managed				
Social, Cultural and Spiritual Care	Individual beliefs and customs are valued and fostered				
Leisure Interests	Residents are supported to participate in a wide range of activities				
Palliative and End of Life Care	The comfort and dignity of the terminally ill resident is maintained				
Complex Health Care Needs	Residents are referred to appropriate health specialists				
Mobility and Independence	Optimum levels are achieved for all Residents				



A homelike environment involves freedom and choice in routines (eg waking, dressing, engagement in chosen activities) and may also include environmental approaches such as kitchens and laundries accessible to residents, bistro/café style dining room or choice of menu.

The MPS residential aged care section will offer a personalised, safe, clean, comfortable and relaxed environment where residents have a sense of belonging.

A homelike environment in Australia is related to concepts such as pleasant atmosphere, looking and feeling light, airy and homely, having freedom and choices, unrestricted, inviting for relatives and comfortable for children<sup>18</sup>.

### What works

Queensland Health<sup>19</sup> has adopted a model of care for Residential Aged Care Facilities which incorporates a shift in nursing home care from a medical model to a social model. This model of care maintains continuity of the residents' previous lifestyle, in a homelike environment with provision of aged care specific education for staff.

The Aged Care Branch, Victoria Department of Health has released a suite of documents to inform residential aged care and 'dementia-friendly environments'<sup>20</sup>. They provide evidence, based on research and best practice, which demonstrates that a home-like environment adds continuity and familiarity to everyday life, encourages continued family involvement and strengthens family and friendship ties. In addition, homelike environments for people with dementia enhance social connection and a sense of self which promotes confidence, independence and maximises freedom to maintain continuation of lifestyle as long as possible.

The Eden Alternative is a philosophy for person-directed culture change in aged care that aims to enrich the lives of those who live and work in residential aged care facilities<sup>21</sup>. Children, animals and plants enliven the environment and create an atmosphere reminiscent of home. Benefits include reductions in the total number and type of medications used by residents (e.g. a decline in mind and mood altering drugs), reduced infection rates, improved levels of sociability, reduced levels of boredom and feelings of helplessness among residents, and improved staff retention rates<sup>22</sup>.

The Australian Government is currently implementing a significant Consumer Directed Care (CDC) aged care reform program. Working to embed a strong person-centred approach within the residential aged care facility, and at the same time transforming the environment to become more homelike reinforces the rights of residents to exercise choice and control within the MPS<sup>23</sup>.

An Australian study conducted in 2008 showed that a homelike environment can enhance the quality of life (QoL) for residents, relatives and the working environment for staff<sup>24</sup>. For residents, improved QoL was demonstrated by decreased agitation, better sleeping patterns, greater freedom and increased appetite / weight gain. Relative's experiences were improved as the lighter, airy homelike atmosphere with garden access increased their comfort when visiting their family member in care. For staff, their work environment was improved by better access to equipment, and feeling more comfortable about the safety of the residents.

### **X** Applying the principle in practice

Numerous strategies can be employed to create a physical and social atmosphere beyond the bricks and mortar of MPS facilities to maintain an environment which is family focussed and personal.

- Promoting flexibility and decision making by the resident. This can be demonstrated by
  residents controlling their daily routines, actively engaging in, and leading decision making,
  selecting activities and their interactions with home (eg. room decorations, creating smaller
  flexible spaces).
- Physical layout of the facility. The layout of the facility can add to the homelike feeling of the
  environment. There may be small scale living areas, where residents can meet with one
  another or visitors, kitchenettes with tea making facilities and microwaves, soft music in dining
  areas with aromas of home cooking, and furnishings that are reminiscent of a home, such as
  bookshelves, indoor plants, soft furnishings and warm colours.
- Personal space. Each resident should have a space that is their own, to be able to use and
  decorate according to their choice. This may involve the use of their own furniture, chairs for
  visitors, special personal possessions (photos, memorabilia), telephone, access to internet and
  email. It is important that this space be a private space, providing some privacy and dignity for
  the resident.
- Family participation and language of home. MPS should be a welcoming and relaxing space for families, encouraging involvement and visits by families. A homelike facility respects and values the cultural and spiritual background of the resident.
- Ready access to outdoor areas. Outdoor spaces add to the homelike environment of MPSs and improve physical and mental health. Outdoor spaces can be designed to include meeting spaces, quiet times and activities, encourage gardening and provide space for movement. Well-designed outdoor spaces<sup>25</sup> can improve quality of life and provide residents with the opportunity to engage in meaningful activity.



The resident is able to maintain personal and social relationships and access a range of recreational and leisure activities that are meaningful and maintain links to the community.

Providing a diverse range of leisure and recreational activities which reflect the resident's interests and lifestyle, including outings, help the resident maintain meaning and a sense of purpose.

Most older people want to continue to be relevant and connected to their families and communities. Rural communities are a valuable resource and informal carers and community groups play important roles in providing social engagement, spiritual care and support which contribute to the wellbeing of older people.

A survey conducted across six NSW MPS in 2008, indicated that social life and passing the time were key areas for improvement<sup>26</sup>.



The concept of meaningful occupation is defined as "any task or activity which is important and meaningful to the individual", and is increasingly important, particularly in relation to managing Behavioural and Psychological Symptoms of Dementia (BPSD)<sup>27</sup>. Consideration of meaningful occupation as resident-led and guided by resident choice instantly widens options for activities where the activities are as varied as the residents themselves. Normal psychosocial and behavioral activities which include animals, music, sensory stimulation, recreation, behavioral and exercise interventions can improve quality of life, sleep, function, engagement and mood<sup>28</sup>. These activities can be conducted within the MPS or in connection with community groups.

Animal-assisted therapy (AAT) is gaining popularity as part of therapy programs in residential aged care facilities. Humans and pet dogs respond to quiet interaction with a lowering of blood pressure and an increase in neurochemicals associated with relaxation and bonding. The presence of dogs in residential aged care may reduce aggression and agitation, and promote social behaviour in people with dementia<sup>29</sup> Pet therapy has been associated with reducing depressive symptoms, loneliness, and agitated behaviours<sup>30</sup>. One study has suggested that an aquarium in the dining room of dementia care unit may stimulate residents to eat more of their meals and gain weight<sup>31</sup>. An original scientific paper published in Croatia in 2013 found that the benefits of pet therapy were particularly demonstrated for depressive symptoms, loneliness, agitated behaviours and dementia.<sup>32</sup>

Horticulture therapy employs plants and gardening activities in therapeutic and rehabilitation activities and is utilized to improve the quality of life of the ageing population, reducing costs for long-term and dementia unit residents. Residents report gardening gives them responsibility, and continuation of their life prior to their time in residential aged care<sup>33</sup>.

Preliminary studies have reported the benefits of horticultural therapy and garden settings in reduction of pain, improvement in attention, lessening of stress, reduced agitation, and a reduction in medications and antipsychotics<sup>34</sup>. Emerging evidence suggests gardening may prevent falls (by maintaining older people's balance and gait) and prevent cognitive decline and dementia<sup>35</sup>.

The Australian Government Department of Social Services recognise that volunteers form the community's most valuable hidden asset and play an important part in Australia's healthcare system, especially in rural areas.<sup>36</sup> Volunteers can enrich the lives of residents by providing a range of activities that promote social connection and emotional, mental and physical stimulation, whilst keeping residents connected with the local community.

# Applying the principle in practice

- **Develop a Resident Profile with each resident**. By getting to know the resident, staff can understand their likes, dislikes and interests, and encourage their participation in activities of their choice.
- Identify local opportunities for community involvement. Draw on local community and
  maintain connections to the community by maximising community involvement. Consider family
  / community days, intergenerational activities, visiting pets. Encourage community groups to
  come to the facility (schools, mothers' groups, church, Men's Shed, Adult Day Care).
- **Simplify visiting volunteer requirements.** Engage volunteers create an activities roster. Create networks with local Private RACFs and share programs.
- Access local transport options. Most rural communities have access to a Commonwealth
  Home Support Program (CHSP) Bus or Community Transport Service, and some MPS have a
  Service Level Agreement between the LHD and CHSP to utilise the resource on a regular
  basis (outings, picnics, drives in the country)
- **Network services**. Utilise Diversional Therapy programs developed at a larger regional centre and delivered locally by an Allied Health Assistant / Activities Officer (Certificate IV in Leisure and Health). The Certificate IV in Leisure and Health course is the minimum recognised qualification to work in the field.

The resident has an enjoyable dining experience – Meals are varied, nutritious and appetising and served in a calm, homelike environment with adequate access to drinking water.

The dining experience is an opportunity for residents to experience the independence they once knew and still desire. Through appropriate meal consistencies and textures, an optimal dining room setting, and coordination of the total healthcare team, these desires can be reached. The dining experience is an important part of the clinical care of the resident by assuring appropriate nutritional and fluid intake, and helps assure a desirable quality of life even while residing in a long-term care facility.<sup>37</sup>

### 💝 What works

Of the ten MPS Sites visited in 2015, 30% cooked meals fresh on-site and 70% had transitioned to LHD centralised food services where it was observed that food is pre-packaged and lacks the aroma and texture of fresh meals. In contrast, it was observed that meals cooked on-site in MPS kitchens produce sight, smell and sounds of cooking which also provide excellent orientation of time and place and stimulate the appetite. Residents and staff across all MPS Sites agreed that home cooked is best. "The highlight of my day is coming out of my room for meals" (Resident).

In old age, energy requirements are lowered but the nutrient requirements are similar or higher than those of younger adults, necessitating the need for more nutrient rich foods. Those residing in RACFs are thought to be at increased risk of malnutrition because of factors associated with the ageing process; including the need for feeding assistance, poor dentition or swallowing and impaired smell and taste which impact on appetite<sup>38,39</sup>. Due to the normal physiologic effects of healthy ageing or the common medical conditions of this age group, healthy older people are less hungry and become more rapidly satiated after eating a standard meal than younger people. Frequent, small meals therefore become essential to maintaining adequate nutritional intake<sup>40</sup>.

A study was undertaken in 2008 to determine the prevalence of malnutrition and investigate nutritional issues in a sample of older people living in eight residential aged care facilities (RACFs) in Australia<sup>41</sup>. Half the residents were well nourished with 43.1% moderately malnourished and 6.4% severely malnourished. Prevalence of malnutrition and decreased Body Mass Index (BMI) were significantly higher for residents older than 90 years of age receiving higher level care. Of the residents considered to be malnourished, very few (17.8%) had been seen by a dietitian in the previous 6 months or were receiving commercial supplements. The study identified that there is a need for systematic, coordinated and multidisciplinary approaches to nutritional care for older people in residential care.

The Dietitian's Association of Australia reported in 2012 that despite the prevalence of malnutrition in Australian Residential Aged Care settings being around 40 – 70%, there are no nutritional and

menu planning standards for use in the aged care setting in Australia.<sup>42</sup> A Working Party is progressing the development of these standards in 2016.

There is some evidence that improvements to the dining environment such as mealtime practices (allowing residents to select their own food and assistance with feeding) can increase daily energy intakes, improve weight gain, and reduce behavioural and psychological symptoms of dementia<sup>43</sup>.

# Applying the principle in practice

Mealtimes can be the highlight of the residents' day. Ensure as calm and welcoming an environment as possible, encourage resident socialisation, and serve the meals in an appetising way, as they would be at home.

- Homelike dining environment. Use tablecloths and serviettes as appropriate with daily laundering processes, not paper place mats. Use crockery and cutlery on the table; not trays. Have condiments on the table; salt and pepper shakers, sauces, jams and spreads, and have appropriate cleaning guidelines for communal use. Use teapots and china mugs (where appropriate). Maintain awareness of infection control, e.g. chipped crockery is discarded. Serve main meal and desserts separately on plates and in dishes, not in prepackaged containers.
  - Within local infrastructure and where possible, have a separate dining room, soft background music, have smaller tables and table settings, newspapers, fresh toast cooking, coffee brewing, smells and aroma for appetite, and appropriately prepared food adequately heated and not cold.
- Mealtimes involve more than eating. Mealtimes at home involve meal preparation, often
  with family or friends, eating the meal, talking, and then cleaning up. Some residential aged
  care facilities engage residents in meaningful activities around mealtimes including setting
  the table, meal preparation or serving meals, and encourage socialisation or activities after
  the meal<sup>44,45</sup>. Regular barbeques may be engaging for residents and encourage
  involvement by carers / families and staff.
- **Provide support at mealtimes.** Maximise assistance at meal times by rostering staff meal breaks after residents have finished their meals.
- Enable choice and control for residents. Create flexible meal times or meal service
  choices (e.g. self-catering kitchenettes, facilitate room service if preferred). Distribute
  snacks or finger foods regularly, for example via a snack cart. Have regular menu review
  and resident satisfaction surveys to maintain variety of food choices on the menu.
  Recognize the importance of culturally and/or religiously suitable meals and provide for
  personal choice e.g. vegetarian.
- Monitor for malnutrition and dehydration. Implement a standardised process for the
  identification, management and monitoring of malnutrition and dehydration. For example,
  the Malnutrition Screening Tool<sup>46</sup> is available in every LHD and should be linked to an
  Action Plan to address any gaps identified. Regular dietetic review and provision of nutrient
  dense foods and supplements where recommended.

The resident has access to person-centred care provided by multidisciplinary services according to his / her needs, choices and availability, to maximise functional ability and quality of life.

MPS Residential Aged Care facilities can provide rehabilitative and restorative services with referral networks for residents who experience high levels of chronic disease, disability and pain and who are at an increased risk of depression and falls-related injuries<sup>47</sup>.

### 💝 What works

Effective multidisciplinary care is reliant on access to **well-coordinated medical**, **nursing and allied health care**. Established pathways of care, negotiated with local service providers, facilitate timely access to multidisciplinary care as appropriate.

Primary Health Tasmania (one of the national Primary Health Networks) works with residential aged care facilities in a **service commissioning** capacity to provide allied health services to residents who have low care needs. Services are delivered to individuals or groups and include physiotherapy, podiatry, music therapy, exercise physiology, remedial massage, falls prevention and support moving from home into residential aged care. Primary Health Tasmania suggests this approach has enhanced partnerships between general practice, residential aged care facilities, pharmacists, allied health professionals, hospitals and community health care providers and improved the care pathways and access to health services for older Tasmanians<sup>48</sup>.

A study undertaken in 2006/2007 identified that people living in residential aged care accounted for 15 per cent of total health care costs for falls-related injury despite accounting for only six per cent of the population aged 65 years and older<sup>49</sup>. Residents of aged care account for a disproportionate share of falls-related hospital inpatient costs. The proportion of people who fall in an aged care setting increases with age, reflecting the age profile of older people living in such facilities. In 2011/12, 26% of falls-related hospitalisations were for people living in residential aged care (21,284 patients)<sup>50</sup>. Allied health professionals have an important role to play in preventing residents from falling and experiencing harm from falls. The NSW Health *Prevention of Falls and Harm from Falls among Older People: 2011- 2015* sets out actions for **falls prevention** in NSW Health Residential Aged Care services (MPSs and State Government Residential Aged Care Facilities). The Australian Commission on Safety and Quality in Health Care has produced national guidelines to inform clinical practice and assist residential aged care facilities to deliver routine multidisciplinary falls prevention interventions<sup>51</sup>.

There is marked variation in the availability (or absence) of **Allied Health services** for MPS residents. Potential workforce remodelling utilising the Allied Health Assistant / Activities Officer roles might be a solution to improve access to lifestyle activities and enable routine allied health interventions in small rural facilities for mobility and preventative risk assessments, exercise groups

and falls prevention interventions. Regular dietetic review, medication review for older people at risk of polypharmacy, speech and swallowing assessment, social welfare and occupational therapy services could potentially be provided with mentor or telehealth support established through a larger regional centre.

## **X** Applying the principle in practice

Referral pathways can be sourced within the Local Health District to share staffing and resources; in particular using Telehealth to increase access to multidisciplinary services for residents.

- Negotiate pathways for referral and service delivery with local providers. Residents can
  choose to pay for private services (e.g. dental, physiotherapy, and podiatry) or access private
  health insurance.
- Access the Extended Primary Care Program (EPC). Residents of residential aged care
  facilities can be eligible for EPC which provides up to 5 Medicare-funded Allied Health visits per
  year if the GP has contributed to a Multidisciplinary Care Plan. (MBS Item Number 731).
- Manage residents' risk of polypharmacy. To ensure medication is appropriate, there is a
  Medicare-funded second yearly rebate available for Medication Review to be provided by a
  Community Pharmacist (MBS Item Number 903).
- Encourage uptake and usage of Telehealth as a mechanism to provide referral pathways and links with professionals in regional centres (eg. specialist services, psychogeriatric, diabetes). There are numerous MBS Item Numbers for specialist consultations using Telehealth; available via MBS Online www.mbsonline.gov.au/.
- **Network services to increase access to multidisciplinary services.** Hub and spoke clinic style services can be maintained within health sectors eg. podiatry, oral health, physiotherapy for mobility assessments on admission, outreach visits from community health services for wound care, social work for end of life support for carers and families (bereavement).
- Support the uptake of exercise interventions that include balance and strength
  exercises. This may be done either by engaging an external provider or by enhancing the role
  of some staff by providing relevant training eg Assistants in Nursing, Allied Health Assistants,
  Aboriginal Health Workers.



#### MPS leadership enables staff to develop expertise in aged care and the delivery of residentcentred care.

To adopt a resident-centred approach to meeting the holistic care needs of residents and to raise the profile of aged care as a speciality, staff must be supported in gaining aged care specific skills and creating networks.

Multipurpose Services (MPS) are unique health care facilities that provide a combination of health services including acute care, sub-acute care (including respite and palliative care), emergency, allied health, primary health and residential aged care to meet the needs of the local community. Conflicting ideologies of acute and aged care service delivery compete within an MPS Model and multiskilling is important to optimise human resources in small rural facilities<sup>52</sup>. In most MPS sites, staff rosters rotate across Inpatient, Emergency Department (ED), Primary Health and Residential Aged Care sections of the MPS. Consultation across 10 MPS facilities in NSW found that nurses find it difficult to work across the emergency, inpatient and residential aged care sections simultaneously; shifting continuously between a clinical, curative model of care for patients, to a wellness, enablement model of care for residents. The complexity of this workforce model and the largely clinical-focused culture of care create a potential barrier to cultivating a homelike environment, where emphasis should be on fostering relationships, supporting leisure and lifestyle activities, providing desirable and diverse nutritional options, and promoting independence.

### What works

A study undertaken in Northern Queensland identified that while nurses working in aged care have positive attitudes towards elderly people, they have significant knowledge deficits in areas of agerelated sensory loss, age-related lung function changes, age-related learning abilities and the specialist care of the older person.<sup>53</sup> An **aged care workforce** position paper<sup>54</sup> released by Aged and Community Services Australia in 2015, recommended that aged care providers and industry bodies work with registered training organisations to identify career progression opportunities with matching educational pathways for people working in aged care. This proactive approach acknowledges the impact of population ageing, and the need for skilled, flexible workers to provide quality and innovative care and support to the increasing number of older Australians.

Adaptive leadership and management styles which empower staff can shift the focus of decision making and care so that resident's values and preferences come first and they are considered a whole person, (rather than a set of functional limitations). Individuals not in traditional leadership roles (eg nursing assistants) may be key to enabling a resident-centred approach.

Whilst MPS deliver a combination of residential aged care, emergency care, inpatient care and a range of community and primary health care services, the focus of staff education is most often on acute and emergency care. Including aged care specific education in staff education calendars within MPSs would raise the profile of aged care as a specialty and support staff in gaining aged care specific skills and expertise.

# Applying the principle in practice

Recognise Aged Care as a 'speciality' and strengthen aged care leadership, partnerships and networking across MPS sites and across LHD boundaries to share ideas, resources, recruitment drives, Key Performance Indicators (KPIs) for accreditation and also provide a benchmark for quality person-centred aged care across MPSs.

#### Developing and fostering expertise in aged care

- Review staffing profiles and Position Descriptions (Outpatient / Inpatient / Aged Care
  profile) to designate time for Residential Aged Care. Define the skillset required within MPSs
  and structure interview questions to assess aptitude and attitude to resident-centred care.
  - Review Position Descriptions of MPS Nurse Managers to reflect aged care as a specialty, and facilitate resident-centred care approaches and capability training for staff.
- Link MPS sites for networking and/or education
  - Telehealth all NSW Health Videoconference units can be linked at no cost via the NSW Health Bridge: Contact eHealth NSW
  - HealthDirect Using Google Chrome, a free computer to computer audio-visual link owned by NSW Health (similar to Skype)
  - Webex / Webinar Link via URL and login for education and tutorials.
- Establish MPS networking streams either within or across LHD boundaries to enable sharing of education strategies (eg Grand Rounds, journal club, case studies), ideas and resources; to provide peer support in the face of professional isolation and to enable auditing and benchmarking for best practice performance measures to assist MPS in meeting accreditation requirements.
  - MPS Networks can also focus on leadership capability development.
- Recognise Aged Care as a specialty in MPSs. Consider minimum certification in aged care for relevant staff. CHC33015 Certificate III in Individual Support is available through Registered Training Organisations (RTOs).
- Establish Aged Care specific and Palliative Care specific education sessions and build relationships with local private RACFs to share resources and best practice.

#### References

http://joannabriggslibrary.org/index.php/jbisrir/article/view/2058/2436 DOI:10.11124/jbisrir-2015-2058.

http://www.safetyandquality.gov.au/wp-content/uploads/2011/01/ASQFHC-Guide-Healthcare-team.pdf

http://www.safetyandquality.gov.au/wp-content/uploads/2011/01/ASQFHC-Guide-Healthcare-team.pdf

http://www.abs.gov.au/AUSSTATS/abs@.nsf/Previousproducts/4228.0Main%20Features12006%20%28Reissue%29?opendocument&tabname=Summary&prodno=4228.0&issue=2006%20%28Reissue%29&num=&view=

<sup>&</sup>lt;sup>1</sup> Australian Government Department of Health. The National Quality Improvement Framework for Multipurpose Services. [Updated 2016 August 24, cited 2016 September 2] Available at <a href="https://agedcare.health.gov.au/national-quality-improvement-framework-for-multi-purpose-services">https://agedcare.health.gov.au/national-quality-improvement-framework-for-multi-purpose-services</a>

<sup>&</sup>lt;sup>2</sup> Australian Aged Care Quality Agency. Pocket Guide to the Accreditation Standards. Parramatta NSW: Australian Aged Care Quality Agency; 2014. 56 p.

<sup>&</sup>lt;sup>3</sup> Australian Commission on Safety and Quality in Healthcare. Current consultations [Internet]. Sydney NSW: Australian Commission on Safety and Quality in Healthcare. [Updated 2016 May 26; cited 2016 June 10]. Available from: http://www.safetyandquality.gov.au/our-work/accreditation-and-the-nsqhs-standards/current-consultations/

<sup>&</sup>lt;sup>4</sup> Australian Government, Department of Health. Charter of care recipients' rights and responsibilities—residential care. Aged Care Act 1997, Schedule 1 User Rights Principles 2014. [Internet]. Sydney NSW: Department of Social Services. [Updated 2016 Apr 08; cited 2016 June 10]. Available from: https://www.dss.gov.au/ageing-and-aged-care/publications-and-articles/guides-advice-and-policies/charter-of-care-recipients-rights-and-responsibilities-residential-care

<sup>&</sup>lt;sup>5</sup> Talerico KA, O'Brien JA, Swafford KL; Person centred care. An important approach for the 21<sup>st</sup> century. J Psychosoc Nurs Ment Health Serv. 2003 Nov, 41(11):12-16.

<sup>&</sup>lt;sup>6</sup> Travers C, MacAndrew M, Hines S, O'Reilly M, Fielding E, Beattie E, Brooks D. The effectiveness of meaningful occupation interventions for people living with dementia in residential aged care: a systematic review protocol. The JBI Database of Systematic Reviews and Implementation Reports, [Internet]. 2015 May [cited 2016 May]; 13(4):87 - 99, may. 2015. Available from

<sup>&</sup>lt;sup>7</sup> Lockenhoff E, and Carstensen L Ageing, emotion and health related decision strategies. Psychology and Ageing 2007; 22(1).

<sup>&</sup>lt;sup>8</sup> Buron B. Levels of personhood, a model for dementia care. Geriatric Nursing 2008; 29(5).

<sup>&</sup>lt;sup>9</sup> Australian Commission on Safety and Quality in Healthcare. Australian safety and quality framework for healthcare. Putting the framework into action: getting started. [Internet] Sydney: Australian Commission on Safety and Quality in Healthcare.; 2010 [cited 2016 May]. 16p. Available from:

<sup>&</sup>lt;sup>10</sup> Australian Commission on Safety and Quality in Healthcare. Australian safety and quality framework for healthcare. Putting the framework into action: getting started. [Internet] Sydney: Australian Commission on Safety and Quality in Healthcare.; 2010 [cited 2016 May]. 16p. Available from:

<sup>&</sup>lt;sup>11</sup> Australian Bureau of Statistics. Adult literacy and life skills survey, summary results, Australia 2006 [Internet]. 2008 [cited 2016 May]. ABS cat. no. 4228.0. Available from:

<sup>&</sup>lt;sup>12</sup> Bostock S and Steptoe A. Association between low functional health literacy and mortality in older adults: longitudinal cohort study. BMJ [Internet]. 2012 [cited 2016 May]; 344: e.1602. Available from: http://www.bmj.com/content/344/bmj.e1602 DOI: http://dx.doi.org/10.1136/bmj.e1602

- <sup>13</sup> Australian Medical Association. AMA Chronic Disease Plan: improving care for patients with chronic and complex care needs revised 2012 [Internet]. [Updated 2010 July 10; cited 2016 May]. Barton ACT; AMA. Available from: https://ama.com.au/article/ama-chronic-disease-plan-improving-care-patients-chronic-and-complex-care-needs-%E2%80%93-revised
- <sup>14</sup> NSW Department of Health. NSW Acute to Aged Related Care Services Practice Guidelines [Internet]. 2014 [Cited 2016 May]. Available from:

http://www0.health.nsw.gov.au/policies/gl/2014/pdf/GL2014\_010.pdf

- <sup>15</sup> Australian Institute of Health and Welfare. Dementia in Australia [Internet]. 2012 [cited 2016 May]; AIHW cat. no. AGE 70. Available from: http://www.aihw.gov.au/publication-detail/?id=10737422958
- <sup>16</sup> Verbrugge LM and Jette AM. The Disablement Process. Social Science of Medicine. 1994;38(1):1–14.
- Aged Care Accreditation Standards; Schedule 2. Part 2: Health and Personal Care. [Internet] Federal Register of Legislation [cited 2016 May] Available from https://www.legislation.gov.au/Details/F2014L00830
- <sup>18</sup> R. Fleming, P. A. Crookes & S. Sum. A review of the empirical literature on the design of physical environments for people with dementia. Faculty of Health and Behavioural Sciences Papers, University of Wollongong Research Online; 2008 [cited 2016 May]. Available from:

http://ro.uow.edu.au/cgi/viewcontent.cgi?article=3923&context=hbspapers

- <sup>19</sup> Queensland Health. Design Guidelines for Queensland Residential Aged Care Facilities [Internet]. Queensland Government: Brisbane, QLD; 1999 [cited 2016 May]. Available from: https://www.health.qld.gov.au/qhpolicy/docs/gdl/qh-gdl-374-8.pdf
- <sup>20</sup> Department of Health & Human Services. Dementia-friendly environments [Internet]. Melbourne VIC: State of Victoria; 2015 [cited 2016 May]. Available from: https://www2.health.vic.gov.au/ageing-and-aged-care/dementia-friendly-environments
- <sup>21</sup> The Eden Alternative.The Eden alternative in care communities [Internet]. Rochester NY: The Eden Alternative; 2016 [cited 2016 Aug 19]. Available from: http://www.edenalt.org/home-version-3/the-edenalternative-in-care-communities/
- <sup>22</sup> Brownie S. A culture change in aged care: The Eden Alternative. Australian Journal of Advanced Nursing [Internet]. 2011 Sep/Nov [cited 2016 May];29(1): 63-68. Available from: **www.ajan.com.au/Vol29/29-1** Brownie.pdf
- <sup>23</sup> Department of Social Services. Applicability of Consumer Directed Care principles in residential aged care homes, Final Report [Internet]. 2014 [cited 2016 May]. Available from: https://www.dss.gov.au/ageing-and-aged-care-aged-care-reform-home-care-packages-reform/applicability-of-consumer-directed-care-principles-in-residential-aged-care-homes-final-report
- <sup>24</sup> Fleming R, Crookes P, Sum S. 2008 Ibid.
- <sup>25</sup> Department of Health & Human Services. Gardens and outdoor spaces [Internet]. Melbourne VIC: State of Victoria; 2015 [cited 2016 May]. Available from: https://www2.health.vic.gov.au/ageing-and-aged-care/dementia-friendly-environments/gardens-outdoors
- <sup>26</sup> Anderson J, Rae J, Grenade L, Boldy D. Resident Satisfaction with Multipurpose Services. Australian Health Review 2008;32(2).
- <sup>27</sup> Travers C. 2015 Ibid.

- <sup>31</sup> Filan SL. Animal-assisted therapy for dementia: A review of the literature. International Psychogeriatrics. 2007. 18(4):597-611.
- <sup>32</sup> Vrbanac Z et al. Animal assisted therapy and perception of loneliness in geriatric nursing home residents. Antropol 2013; 37.
- <sup>33</sup> Kings Fund. Gardens and health. Implications for policy and practice. [Internet]. London: Kings Fund; 2016 May 17 (cited 2016 May 19]. Available from: http://www.kingsfund.org.uk/publications/gardens-and-health
- <sup>34</sup> Detweiler MB, Sharma T, Detweiler JG, Murphy PF, Lane S, Carman J et al. What is the evidence to support the use of therapeutic gardens for the elderly? Psychiatry Investig. [Internet]. 2012 Jun [cited 2016 May]; 9(2):100–110. Available from: http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3372556/DOI: 10.4306/pi.2012.9.2.100
- <sup>35</sup> Kings Fund. Gardens and health. Implications for policy and practice. [Internet]. London: Kings Fund; 2016 May 17 (cited 2016 May 19]. Available from: http://www.kingsfund.org.uk/publications/gardens-and-health
- <sup>36</sup> My Aged Care. Aged Care Workforce [Internet]. Australian Government; 2015 July 01 [cited 2016 May]. Available from: http://www.myagedcare.gov.au/about-us/aged-care-workforce
- <sup>37</sup> Speroff BA, Davis KH, Dehe KL, Larkins KN. The dining experience in nursing homes, North Carolina Medical Journal, 2005 July-August; 66(4), 292-5.
- <sup>38</sup> Australian and New Zealand Society for Geriatric Medicine. Under-nutrition and the older person. Position statement no. 6. Sydney: ANZSGM, 2007 [cited 2016 August].
- <sup>39</sup> Dietitians Association of Australia. Development of Nutrition and Menu Planning Standards for Residential Aged Care Facilities in Australia and New Zealand: Scoping Project Literature Review [Internet]. 2012 [cited 2016 May]. Available from: http://daa.asn.au/wp-content/uploads/2011/07/Scoping-Project-Literature-Review-Updated-2012.pdf
- <sup>40</sup> Moss C. Gastrointestinal hormones: The regulation of appetite and the anorexia of ageing. Journal of Human Nutrition and Dietetics, 2012. 25(1): p. 3-15.
- <sup>41</sup> Gaskill D, Black LJ, Isenring EA, Hassall S, Sanders F, Bauer JD. Malnutrition prevalence and nutrition issues in residential aged care facilities. Australas J Ageing, 2008 Dec [cited 2016 May];27(4):189-94.
- <sup>42</sup> Watterson C, Fraser A, Banks M, Iserning E, Miller M, Hoevenaars R, Bauer J, Vivanti A, Ferguson M. Evidence bases guidelines for nutritional management of malnutrition in adult patients across the continuum of care. Nutrition and Dietetics. 2009, 66(3): S1 S34.
- <sup>43</sup> Abbott RA, Whear R, Thompson-Coon J, Ukoumunne OC, Rogers M, Bethel A, Hemsley A, Stein K. Effectiveness of mealtime interventions on nutritional outcomes for the elderly living in residential care: a systematic review and meta-analysis [Internet]. 2013 Sep [cited 2016 June];12(4):967-81. Available from: http://www.ncbi.nlm.nih.gov/pubmed/23811415

<sup>&</sup>lt;sup>28</sup> Travers C. 2015 Ibid.

<sup>&</sup>lt;sup>29</sup> Filan SL. Animal-assisted therapy for dementia: A review of the literature. International Psychogeriatrics. 2007. 18(4):597-611.

<sup>&</sup>lt;sup>30</sup> Vrbanac Z et al. Animal assisted therapy and perception of loneliness in geriatric nursing home residents. Antropol 2013: 37.

http://www.australianageingagenda.com.au/2015/02/12/new-call-change-allied-health-aged-care/

## http://www.cec.health.nsw.gov.au/\_\_data/assets/pdf\_file/0010/269623/incidence-cost-of-falls.pdf

<sup>&</sup>lt;sup>44</sup> Department of Health and Human Services. Dining areas, kitchens and eating [Internet]. Melbourne: State of Victoria; 2015 [cited 2016 May]. Available from: https://www2.health.vic.gov.au/ageing-and-aged-care/dementia-friendly-environments/dining-areas-kitchens

<sup>&</sup>lt;sup>45</sup> Alzheimer's Australia Vic. Relate, motivate, appreciate: A Montessori resource. Promoting positive interaction with people with dementia. [Internet]. Melbourne: Alzheimer's Association Vic; 2013 [cited 2016 May]. Available from: https://vic.fightdementia.org.au/common/files/VIC/20130725\_-\_Montessori\_Resource.pdf

<sup>&</sup>lt;sup>46</sup> Ferguson M, Capra S, Bauer J, Banks M. (1999). Development of a valid and reliable malnutrition screening tool for adult acute hospital patients. Nutrition, [cited 2016 April ]. 15, 458-64. Available from <a href="https://www.health.qld.gov.au/nutrition/resources/hphe">https://www.health.qld.gov.au/nutrition/resources/hphe</a> mst pstr.pdf

<sup>&</sup>lt;sup>47</sup> The Australian Ageing Agenda. A New Call for Allied Health in Aged Care [Internet]. Australian Ageing Agenda; 2015 February 12 [cited 2016 June]. Available from:

<sup>&</sup>lt;sup>48</sup> Primary Health Tasmania, Aged Care [Internet]. Primary Health Tasmania; 2016 [cited 2016 June]. Available from: http://www.primaryhealthtas.com.au/programs-services/aged-care

<sup>&</sup>lt;sup>49</sup> NSW Health, The Incidence and Cost of Falls Injury Among Older People in NSW; 2006/07 [cited 2016 May]. Page vii. Available from:

<sup>&</sup>lt;sup>50</sup> Australian Institute of Health and Welfare. Falls in older people [Internet]. Bruce ACT: AIHW; 2016 [cited 2016 May]. Available from: http://www.aihw.qov.au/injury/falls/

<sup>&</sup>lt;sup>51</sup> Australian Commission on Safety and Quality in Health Care. Preventing falls and harm from falls in older people: best practice guidelines for Australian Residential Aged Care Facilities [Internet]. Canberra: Commonwealth of Australia; 2009 [cited 2016 May]. Available from: www.safetyandquality.gov.au/wp-content/.../01/Guidelines-RACF.pdf

<sup>&</sup>lt;sup>52</sup> Malone LM, Anderson JK. The right staffing mix for inpatient care in rural Multipurpose Service Health Facilities. Journal of Rural and Remote Health, 2014; 14.

<sup>&</sup>lt;sup>53</sup> Mellor P, Chew D, Greenhill J. Nurses' attitudes towards elderly people and knowledge of gerontic care in a Multipurpose Service; Australian Journal of Advanced Nursing, 2007;24(3).

<sup>&</sup>lt;sup>54</sup> Aged and Community Services Australia. The Aged Care Workforce in Australia. Position Paper [Internet]. Deakin ACT: Aged and Community Services Australia; 2015 [cited 2016 May]. Available from: <a href="http://www.agedcare.org.au/news/copy\_of\_2014-news/acsa-position-paper-the-aged-care-workforce-in-australia">http://www.agedcare.org.au/news/copy\_of\_2014-news/acsa-position-paper-the-aged-care-workforce-in-australia</a>